# Let us drive sustainability together



#### **Biomaterials for automotive**

Your earth friendly material choice for automotive interior & exterior components

## MYNUSCO

## **CIRCULAR** Lightweight Solution

Use of plastics in automotive has grown in the last few decades due to safety related properties, versatility, lightweight and its affordability. However, making automotive components with virgin plastics increase CO2 emissions and depletes fossil resources.

Using biocomposites made from crop-residue & fastrenewables offers benefits of plastics at a significantly better environment footprint. They are ideal circular solution, from design to its end of life.



Scan or click here

#### MANY BENEFITS

#### **REDUCE CO2**

Biocomposites enable biogenic carbon to be locked in the products. They are made with repurposed material & recycled after use,

#### HIGH PERFORMANCE

Offers higher strength and stiffness with durability as good as plastics. Grades with weather resistance are available for outdoor use.

### END TO END SERVICE

#### MATERIAL SUPPORT

We support you with material selection & new material development



#### **CONSERVE RESOURCES**

Replacing fossil resources with crop-residue & fast-renewables enable us to conserve limited resources available.

#### **GREAT LOOK & FEEL**

Natural fibers visible on the surface of the products provide earthy look. Haptics of the products have natural appeal.



#### PORT PROCESS SUPPORT

We support you with moulding & processing of material at your site

#### PRODUCT SUPPORT

Product development and manufacturing support for your diverse needs

#### LCA SUPPORT

Proprietary technology to track your product sustainability footprint



#### OUR BIOCOMPOSITES

Material Family	Bio Content (%)	Recycle Content (%)	Binder	Tensile Strength (MPA)	Flexural Modulus (GPA)	Elongation (%)	•	HDT (@ 0.46 MPA, Deg C)	Density	Mold Shrinkage %	Remarks
BioDur – S	20 - 90	0 - 80	Recycled, fossil or bio- based	30 - 60	2.0 - 5.0	2.0 - 6.0	2.5 - 5.0	120 - 155	0.94 - 1.1	0.6 - 1.0	Standard stiffness applications
BioDur – I	20 - 80	0 - 70	Recycled, fossil or bio- based	20 - 40	0.8 - 2.0	4.0 - 15.0	5 - 25	110 - 145	0.94 - 1.1	0.6 - 1.0	Flexible & high impact applications

BioDur products are recyclable at the end of their use. We have more than 1000 grades to choose from. If your product & process needs are unique, we can customize colour, fiber choice (bamboo, husk, wood, starch, etc.), fiber visibility (high, medium, low), MFI, UV stability & other properties.



Choosing the right material may not be easy. We are happy to share our experience to help you with your choice. For more information, visit www.mynusco.com, email marketing@mynusco.com, or visit our office in Mumbai or Bengaluru.